IN THE CLAIMS:

Kindly replace the claims of record with the following full set of claims:

1.   (Currently amended) A method, operable in a processing system, for playing a downloaded content, comprising the steps:

reading a pre-stored content ~~which include information relevant to a downloaded content,~~ providing additional information regarding a content of said downloaded content;

detecting an available bandwidth;

sending a request for downloading the downloaded content according to the additional information regarding ~~relevant to~~ the downloaded content, wherein the request includes ~~the~~ information of the detected available bandwidth;

receiving the downloaded content according with the detected bandwidth; ~~and~~

playing the downloaded content combined with the pre-stored content: and

monitoring the available bandwidth to adjust a quality of the combined downloaded content and the pre-stored content.

2.   (Original)The method according to claim 1, wherein the request includes a URL of a website on which the downloaded content are stored.

3.   (Original)The method according to claim 1, wherein the detecting step is arranged for detecting throughput of effective information transmitted within a specific period.

4.   (Currently amended) A method for playing [[the]] a downloaded content on a processing system, comprising the steps:

reading a pre-stored content[[,]] providing additional information regarding a content of said downloaded content ~~which include information relevant to a downloaded content~~;

detecting an available bandwidth;

selecting a relevant quality of the downloaded content according to the detected

bandwidth information and the additional information regarding relevant to the information relevant to the downloaded content;

sending a request for downloading the downloaded content according to the information relevant to the downloaded content, wherein the request includes the relevant quality;

receiving the downloaded content according to the relevant quality; and

playing the downloaded content combined with the additional information regarding the content of the downloaded content the pre-stored content; and

monitoring the available bandwidth to adjust a quality of the combined downloaded content and the pre-stored content.

.

5.   (Currently amended)The method according to claim 4, wherein the additional information regarding relevant to information relevant to the downloaded content includes an ID of an optical disk, an URL of a website on which the downloaded content are stored and a quality menu of the downloaded content, wherein the quality menu includes a plurality of quality options for the downloaded content.

6.   (Original)The method according to claim 4, wherein the detecting step is arranged for detecting throughput of effective information transmitted within a specific period.

7. (Currently amended) A method for playing the downloaded content, comprising the steps:

reading a pre-stored content which include information relevant to regarding a content of the [[a]] downloaded content;

detecting an available bandwidth;

selecting a relevant quality of the downloaded content according to the detected bandwidth information and the information regarding the content of relevant to the downloaded content;

sending a request for downloading the downloaded content according to the

information ~~relevant to~~ regarding the content of the downloaded content, wherein the request includes the relevant quality;

receiving the downloaded content according to the relevant quality; ~~and~~

playing the downloaded content combined with the information regarding the ~~pre-stored~~ content of the downloaded content; and

monitoring the available bandwidth to adjust a quality of the combined downloaded content and the pre-stored content.

.

8.   (Currently amended)The method according to claim 7, wherein the information regarding the content of ~~relevant to~~ the downloaded content includes an ID of an optical disk, an URL of a website on which the downloaded content are stored.

9.   (Original)The method according to claim 8, wherein the detecting step is arranged for detecting throughput of effective information transmitted within a specific period.

10.   (Currently amended)   A device for playing a downloaded content, comprising:

a reading means for reading a pre-stored content which include information ~~relevant to a~~ regarding a content to the downloaded content;

a detecting means for detecting an available bandwidth;

a sending means for sending a request for downloading the downloaded content according to the information contained within the pre-stored content ~~relevant to the downloaded content~~, wherein the request includes the information of the bandwidth;

a receiving means for receiving the downloaded content according with the detected bandwidth; ~~and~~

a playing means for playing the downloaded content combined with the pre-stored content; and

a monitoring means for monitoring the available bandwidth to adjust a quality of the combined downloaded content and the pre-stored content.

.

11.   (Original)   The device according to claim 10, wherein the request includes a URL of a website on which the downloaded content are stored.

12.   (Original)   The device according to claim 10, wherein the detecting means are arranged for detecting throughput of effective information transmitted within a specific period.

13.   (Currently amended)   A device for playing [[the]] a downloaded content, comprising:

a reading means for reading a pre-stored content which include information regarding a content of the relevant to a downloaded content;

a detecting means for detecting available bandwidth;

a selecting means for selecting relevant quality of the downloaded content according to the detected bandwidth information and the information regarding relevant to the downloaded content;

a sending means for sending a request for downloading the downloaded content according to the information relevant to the downloaded content, wherein the request includes the relevant quality;

a receiving means for receiving the downloaded content according to the relevant quality; and

a playing means for playing the downloaded content combined with the pre-stored content; and

a monitoring means for monitoring the available bandwidth to adjust a quality of the combined downloaded content and the pre-stored content.

.

14.   (Original)   The device according to claim 13, wherein the information relevant to the downloaded content includes an ID of an optical disk, an URL of a website on which the downloaded content are stored and a quality menu of the downloaded content, wherein the quality menu includes a plurality of quality options for the downloaded

content.

15.   (Original)   The device according to claim 13, wherein the detecting means are arranged for detecting throughput of effective information transmitted within a specific period.

16.   (Currently amended)   A device for playing [[the]] a downloaded content, comprising:

a reading means for reading a pre-stored content which include information relevant to a regarding a content of the downloaded content;

a detecting means for detecting an available bandwidth;

a selecting means for selecting relevant quality of the downloaded content according to the detected bandwidth information and the information regarding the content of relevant to the downloaded content;

a sending means for sending a request for downloading the downloaded content according to the information relevant to the downloaded content, wherein the request includes the relevant quality;

a receiving means for receiving the downloaded content according to the relevant quality; and

a playing means for playing the downloaded content combined with the pre-stored content; and

a monitoring means for monitoring the available bandwidth to adjust a quality of the combined downloaded content and the pre-stored content.

.

17.   (Original)The device according to claim 16, wherein the information relevant to the downloaded content includes an ID of an optical disk, an URL of a website on which the downloaded content are stored.

18.   (Original) The device according to claim 17, wherein the detecting means are

arranged for detecting throughput of effective information transmitted within a specific period.